1999, 41' WANDERLODGE LXI OPTIONAL FEATURES

31-Jul-98

AREA	OPTION NO.	DESCRIPTION
BATHROOM	5959	WASHER/DRYER COMBO, 120V
		Combo washer/dryer is installed in closet area of bath with clothes hamper drawer and folding shelf whenever possible depending on floorplan. Shut off valves for hot & cold water are located below combo unit. 120vac power is supplied by shoreline hookup or generator.
BATHROOM	6068	WIRE & PLUMB FOR WASHER/DRYER
BATHROOM	6089	FULL MIRROR FACE ON MEDICINE CABINET
		Medicine cabinet will be built with full mirrored face and surface mounted mirrored doors. A/C registers locate in bottom of cabinet.
BATHROOM	6096	MIRRORS, BATH SIDE OF BOTH BATH DOORS
		This option installs clear mirror on bath side of both bath doors in lieu of the standard rear door only.
BEDROOM	5859	BEDROOM, TWIN BED
		Twin beds replace standard cross island or center island bed, depending on floor plan. Full hanging at head of beds with mirrored doors. Overhead cabinets are installed over each bed.
CHASSIS	5966	MUD FLAP, FULL WIDTH, REAR
		Includes full width rubber mud flap with trim.

<u>AREA</u>	OPTION NO.	DESCRIPTION
ELECTRICAL	5850	PREMIUM SOUND, HOME THEATRE
		The Wanderlodge home theatre sound system is comprised of an AM/FM cassette radio with a 10-disc CD changer and a four channel amplifier with a total power output of 200 watts driving four satellite speakers located in the living room and kitchen area. Another amplifier with a total power output of 120 watts drives two subwoofer speakers. The stereo television is also coupled into this system.
ELECTRICAL	5950	ELECTRIC DOOR LOCKS FOR LUGGAGE COMPARTMENTS
		Includes 12 VDC actuation from the dash or keyless entry system. Key operation overrides each individual door. This option includes all luggage and water compartment doors.
ELECTRICAL	5955	EXTERIOR LIGHTING PACKAGE
·		Includes one additional porch light on the right hand side and one additional porch light over the left hand side over the utility box.
ELECTRICAL	6057	ENTERTAINMENT CENTER IN OUTSIDE COMP
		An entertainment center to be installed in outside compartment. Items included will be a 13" TV on swivel tray, AM/FM stereo, and two remote speakers. Cabinet will be covered in wood or laminate to match interior.
ELECTRICAL	6058	SOLAR PANELS (4)
	• • • • • • • • • • • • • • • • • • •	Four solar panels installed on the roof.

OPTION NO.	DESCRIPTION
6064	AUTO START FOR GENERATOR
	This option provides a voltage monitor, both AC and DC, that will automatically crank the generator when low or no voltage conditions exist within certain parameters.
6066	INVERTER,(2) TRACE 3000 W/CHARGERS
	This option replaces the single Trace 3000 inverter with 2 Trace 3000 inverters with integral 140 amp chargers for a total of 6000 watts of inverter power and 280 amps of battery charging capacity. This option also add (2) additional 4D gel cell batteries.
16108	SATELLITE SYSTEM, DATRON 3000 W/SONY RECEIVER
	A Datron 3000 satellite installs on roof of coach with Sony receiver in front overhead dash. CD changer must relocate to underneath of sofa at forward end. Satellite dish will be painted to match the roof.
6056	BRASS GRAB HANDLES (3)
	Brass grab handles installed in lieu of standard chrome.
5812	AIR COMPRESSOR, AUXILIARY,120 VAC
	This option includes a 120 VAC compressor located in an outside compartment. A 12V switch located on the lower dash panel operates the compressor via shoreline or generator power. The compressor provides a quick source of air for power tools or pressurizing the coach air system or tires without starting coach engine.
5917	LUGGAGE RACK AND ACCESS LADDER
	This option includes an aluminum roof luggage rack, with aerodynamic style ABS over front, access ladder and fluted aluminum roof tread.
	6064 6066 16108 6056 5812

AREA	OPTION NO.	DESCRIPTION
EXTERIOR	5980	MIRRORS,REARVIEW,BRIGHT POLISHED
		Includes the right and left outside mirrors bright polished.
EXTERIOR	6051	PAINT DESIGN, CUSTOMER DESIGNED
		See paint design section of book for color example.
EXTERIOR	6053	JOEY BED (FULL WIDTH PASS-THRU)
		Installed in pass through compartment and pulls out from either side.
EXTERIOR	6054	JOEY BED (2-ONE EACH SIDE)
		2 individual Joey beds. One on each side.
EXTERIOR	6063	JOEY BED (ONE SIDE ONLY)
		An individual unit on one side of the pass through compartment.
EXTERIOR	6067	WIRE & PLUMB. FOR AUX. AIR COMPRESSOR
		This option wires and plumbs (only) for an auxiliary air compressor. This includes all wiring and relays, switch and air line capped off in the luggage compartment. Compressor not included.
EXTERIOR	6087	AUTOMATIC WATER SHUTOFF FOR CITY WATER FILL
		This option provides an automatic shut-off valve installed in the fresh water tank which will shut off water flow when tank is full.
EXTERIOR	16109	PAINT, DOUBLE CLEARCOAT
		This option provides a double layer of clear coat on any paint design.

AREA	OPTION NO.	DESCRIPTION
EXTERIOR	16112	PAINT DESIGN, HEAVENLY DELIGHT
		See data book for detail design.
EXTERIOR	16113	PAINT DESIGN, BOLD STATEMENT
		See data book for detail design.
EXTERIOR	16114	PAINT DESIGN, PICASO
		See data book for detail design.
EXTERIOR	16115	PAINT DESIGN, GRAND FINALE
		See data book for detail design.
EXTERIOR	16116	PAINT DESIGN, SIMPLE ELEGANCE
		See data book for detail design.
EXTERIOR	16123	STAINLESS STEEL PACKAGE
		This option include stainless steel trim on the bottom of luggage compartment doors, area just below the windshield, insert in front bumper, and four insert strips on the rear engine compartment door.
EXTERIOR	16124	SIDE MOUNTED CAMERA
		A side-mounted rear view camera will install forward of entrance door. This camera will be wired to operate with the A/B switch of the rear view monitor on the dash.
GEN. INTERIOR	5851	SKYLIGHT W/SLDG COVERS AND SCREENS
		The skylight includes integral sliding cover and screens. Available with side ducted AC only.

Page 5 Section III-A

AREA	OPTION NO.	DESCRIPTION
GEN. INTERIOR	6079	FRONT TV WIRED THROUGH STEREO SPEAKERS
		Front dash TV will be wired for sound through the stereo speakers in the living room/kit./dinette. Note: not required with option 5850.
GEN. INTERIOR	6080	REMOTE LINK FOR VCR
		A remote link off the front VCR will be installed in the bedroom area.
GEN.INTERIOR	5828	INTERIOR PROTECTION PACKAGE
		This option includes: Carpet with bound edges installed loose on the dash, bathroom carpet without bound edges packed loose in outside bay, and removable vinyl carpet cover for living room. All items match coach interior decor.
GEN.INTERIOR	5852	LEATHER PACKAGE
		This option includes, dinette cushions and companion chairs covered in a leather to match the interior decor.
GEN.INTERIOR	5912	INTERIOR PK. FORMICA (MATTE FINISH)
	•	This option changes the standard oak to a solid matte finish Formica only.
GEN.INTERIOR	5961	CUSTOMER SUPPLIED MATERIAL
		This option is required when a customer supplies materials for use in a unit. We are not responsible for warranty or working condition of these items.
GEN.INTERIOR	5968	INTERIOR PACKAGE, WALNUT
		Natural walnut cabinetry and trim will be used in lieu of standard oak.

AREA	OPTION NO.	DESCRIPTION
GEN.INTERIOR	5977	INTERIOR PACKAGE, MAHOGANY
		Mahogany cabinetry and trim are used in lieu of standard oak.
GEN.INTERIOR	5990	CHROME OPTION
		This option add chrome accessories to the coach in place of gold colored.
GEN.INTERIOR	6044	SOAP DISPENSER IN KIT. OR BATH
		A pump type soap dispenser is installed at the kitchen or bath sink to match interior.
GEN.INTERIOR	6045	INTERIOR PACKAGE,NAT.CHERRY
	. •	Cherry cabinetry replaces the standard oak.
GEN.INTERIOR	6065	INTERIOR PACKAGE, LAMINATE SPECIAL
		This option is for special laminates and will be quoted on an individual basis.
GEN.INTERIOR	6072	INTERIOR PACKAGE, PICK. ASH
		Pickled ash cabinetry replaces the standard oak.
GEN.INTERIOR	6081	SKYLIGHT, BUBBLE, 20" X 20"
		This option installs a 20" x 20" skylight bubble with night shade for privacy. Location depends on individual floor plan and body structure.

AREA	OPTION NO.	DESCRIPTION
GEN.INTERIOR	6082	SKYLIGHT, BUBBLE, 14" X 14"
		This option installs a 14" x 14" skylight bubble with night shade for privacy. Location depends on individual floor plan and body structure.
HEAT/AC	6095	A/C UNITS, ROOF W/HEAT PUMP
		This options installs A/C units with heat pumps in lieu of standard.
KIT/DINETTE	5773	GARBAGE DISPOSAL
		This option includes garbage disposal located under kitchen sink bowl. Requires 12V supplied from shoreline or generator and is controlled by a switch located in the kitchen base cabinet.
KIT/DINETTE	5916	DINETTE PACKAGE, L SHAPE
		Three place dinette with motorized retractable table for increased kitchen work space. Option includes Vista lights inside the ceiling fixture. Vista lights are wired to a separate switch.
KIT/DINETTE	6043	SIDE BY SIDE REFRIGERATOR
		The house type side by side replaces the standard Dometic 7030. This option also requires options 6066 and 5967.
KIT/DINETTE	6083	BOOTH DINETTE IN LIEU OF TABLE & CHAIRS
		A face to face booth dinette covered in fabric will be installed in lieu of table and chairs when floor plan permits.
KIT/DINETTE	6084	ACRYLIC DIVIDER WALL-KITCHEN
		A clear acrylic divider is installed at the front of the kitchen counter top. Note: This does not include any special etching designs.

AREA	OPTION NO.	DESCRIPTION
KIT/DINETTE	6092	GLASS CABINET, ROUND FRONT
		A round glass cabinet installs in kitchen or dinette overhead cabinet. Includes acrylic shelves for rock and stem glasses. Inside is mirrored with accent Vista lights. Doors are Plexiglas. Glasses and stemware are included.
KIT/DINETTE	6093	GLASS CABINET, ANGLED FRONT
		An angled glass cabinet installs in the kitchen or dinette overhead cabinet. This includes acrilic shelves for rock and stem glasses. Inside is mirrored with accent Vista lighting. Doors are Plexiglas. Glasses and stemware are included.
KIT/DINETTE	6097	MIRROR, DINETTE WALL, CLEAR MIRRORS
		This option installs clear mirror on dinette wall.
KIT/DINETTE	6098	MIRROR, KITCHEN BACKSPLASH, BEVELED STRIPS
		This option installs beveled edge mirror strips on kitchen backsplash and galley walls in lieu of standard clear mirror.
KIT/DINETTE	6099	MIRROR, DINETTE WALL, BEVELED STRIPS
		This option installs beveled edge mirror strips on dinette wall in lieu of standard wallpaper.
KITCHEN	6040	GROHE EUROPEAN FAUCET IN KITCHEN
		Grohe European kitchen faucet replaces the standard single lever chrome faucet.

AREA	OPTION NO.	DESCRIPTION
KITCHEN	6041	COLOR MATCHED KONSTANT HOT
		Standard chrome constant hot is replaced with a color coordinated constant hot.
LIVINGROOM	5913	DELETE LIVINGROOM OVERHEAD CABINETS
	•	Living room overhead cabinets are deleted and replaced with valances with indirect lighting. Valances are covered in fabric to match interior.
PLT/COPLT	5951	SEAT, COPILOT, 31" BUDDY W/POWER FOOTREST
		This optional seat is a wider Villa seat with power footrest and lumbar support. It has the same six way electric seat adjustment as the standard copilot seat and is color coordinated to match pilot seat. Driver's seat will also be Villa w/lumbar support.
PLT/COPLT	6033	ALTIMETER IN PANEL OVER COPILOT
	•	An altimeter is installed in the right hand overhead control panel above copilot.
PLT/COPLT	6037	AIR RIDE SEAT
		This option replaces the standard pilot seat with a Villa drivers seat on an air ride base. This option also changes the copilot seat to a matching Villa.
PLT/COPLT	6078	ENGINE PRO DRIVER
		A monitor for the Detroit diesel Series 60 engine is installed in the dash area.

AREA	OPTION NO.	DESCRIPTION
PLT/COPLT	16102	SOLID SURFACE ENTRANCE STEPS
PLT/COPLT	16104	CELLULAR PHONE, CUSTOMER SUPPLIED
		Customer supplied cellular phone will be installed in front dash area.
PLT/COPLT	16132	BLACK VITRICOR OVERHEAD DASH
		This option changes the overhead das from oak to a full black out treatment.
STATE DECAL	5870	STATE CERTIFICATION, CALIFORNIA
STATE DECAL	5888	STATE SUPPLIED OPERATING DECAL, TENNESSEE
STATE DECAL	5897	STATE SUPPLIED OPERATING DECAL, WASHINGTON

1999, 43' WANDERLODGE LXI OPTIONAL FEATURES

31-Jul-98

AREA	OPTION NO.	DESCRIPTION
BATHROOM	5959	WASHER/DRYER COMBO, 120V
		Combo washer/dryer is installed in closet area of bath with close hamper drawer and folding shelf when floorplan permits. Shut off valves for hot & cold water are located below combo unit. 120vac power is supplied by shoreline hookup or generator.
BATHROOM	6089	FULL MIRROR FACE ON MEDICINE CABINET
		Medicine cabinet will be built with full mirrored face and surfaced mounted mirrored doors. A/C registers locate in bottom of cabinet.
BATHROOM	6096	MIRRORS, BATH SIDE OF BOTH BATH DOORS
		This option installs clear mirror on bath side of both bath doors in lieu of the standard rear door only.
BEDROOM	5859	BEDROOM, TWIN BED
		Twin beds replace standard cross island or center island bed, depending on floor plan. Full hanging at head of beds with mirrored doors. Overhead cabinets are installed over each bed.
ELECTRICAL	6057	ENTERTAINMENT CENTER IN OUTSIDE COMP
		An entertainment center to be installed in outside compartment. Items included will be a 13" TV on swivel tray, AM/FM stereo, and two remote speakers. Cabinet will be covered in wood or laminate.
ELECTRICAL	6058	SOLAR PANELS (4)
		Four solar panels installed on the roof.

Page 1 Section III-A

AREA	OPTION NO.	DESCRIPTION
ELECTRICAL	16108	SATELLITE SYSTEM, DATRON 3000 W/SONY RECEIVER
		A Datron 3000 satellite installs on roof of coach with Sony receiver in front overhead dash. CD changer must relocate to underneath of sofa at forward end. Satellite dish will be painted to match the roof.
ENTRANCE	6056	BRASS GRAB HANDLES (3)
		Brass grab handles installed in lieu of standard chrome.
EXTERIOR	5812	AIR COMPRESSOR, AUXILIARY,120 VAC
		This option includes a 120 VAC compressor located in an outside compartment. A 12V switch located on the lower dash panel operates the compressor via shoreline or generator power. The compressor provides a quick source of air for power tools or pressurizing the coach air system or tires without starting coach engine.
EXTERIOR	5917	LUGGAGE RACK AND ACCESS LADDER
		This option includes an aluminum roof luggage rack, with aerodynamic style ABS over front and rear, access ladder and fluted aluminum roof tread.
EXTERIOR	5980	MIRRORS,REARVIEW,BRIGHT POLISHED
		Includes the right and left outside mirrors bright polished.
EXTERIOR	6051	PAINT DESIGN, CUSTOMER DESIGNED
		See paint design section of book for color example.
EXTERIOR	6053	JOEY BED (FULL WIDTH PASS-THRU)
		Installed in pass through compartment and pulls out from either side.

<u>AREA</u>	OPTION NO.	DESCRIPTION
EXTERIOR	6054	JOEY BED (2-ONE EACH SIDE)
		2 individual Joey beds. One on each side.
EXTERIOR	6063	JOEY BED (ONE SIDE ONLY)
		An individual unit on one side of the pass through compartment.
EXTERIOR	6067	WIRE & PLUMB. FOR AUX. AIR COMPRESSOR
		This option wires and plumbs (only) for an auxiliary air compressor. This includes all wiring and relays, switch and air line capped off in the luggage compartment. Compressor not included.
EXTERIOR	6087	AUTOMATIC WATER SHUTOFF FOR CITY WATER FILL
		This option provides an automatic shut-off valve installed in the fresh water tank which will shut off water flow when tank is full.
EXTERIOR	6090	SLIDE-OUT ROOM, BEDROOM
		Side out room includes the left hand side of bedroom with head of bed on drivers side of coach. Unit extends 16" and includes night stands and head of bed area.
EXTERIOR	6091	SLIDE OUT ROOM, LIVING ROOM & GALLEY
		Slide out room includes left hand living room and galley area of coach. Room extends 22".
EXTERIOR	16109	PAINT, DOUBLE CLEARCOAT
		This option provides a double layer of clear coat on any paint design.

AREA	OPTION NO.	DESCRIPTION
EXTERIOR	16112	PAINT DESIGN, HEAVENLY DELIGHT
		See data book for detail design.
EXTERIOR	16113	PAINT DESIGN, BOLD STATEMENT
		See data book for detail design.
EXTERIOR	16114	PAINT DESIGN, PICASO
		See data book for detail design.
EXTERIOR	16115	PAINT DESIGN, GRAND FINALE
		See data book for detail design.
EXTERIOR	16116	PAINT DESIGN, SIMPLE ELEGANCE
		See data book for detail design.
EXTERIOR	16123	STAINLESS STEEL PACKAGE
		This option include stainless steel trim on the bottom of luggage compartment doors, area just below the windshield, insert in front bumper, and four insert strips on the rear engine compartment door.
EXTERIOR	16124	SIDE MOUNT CAMERA
		This adds a small side mount camera just forward of the door on the curb side.
GEN. INTERIOR	5851	SKYLIGHT W/SLDG COVERS AND SCREENS
		The skylight includes integral sliding cover and screens.

AREA	OPTION NO.	DESCRIPTION
GEN. INTERIOR	6080	REMOTE LINK FOR VCR
		A remote link off the front VCR will be installed in the bedroom area.
GEN.INTERIOR	5828	INTERIOR PROTECTION PACKAGE
		This option includes: Carpet with bound edges installed loose on the dash, bathroom carpet without bound edges packed loose in outside bay, and removable vinyl carpet cover for living room. All items match coach interior decor.
GEN.INTERIOR	5852	LEATHER PACKAGE
		This option includes, dinette cushions and companion chairs covered in a leather to match the interior decor.
GEN.INTERIOR	5912	INTERIOR PK. FORMICA (MATTE FINISH)
		This replaces the standard oak with a solid color matte finish Formica only.
GEN.INTERIOR	5961	CUSTOMER SUPPLIED MATERIAL
		This option is required when a customer supplies materials for use in a unit. We are not responsible for warranty or working condition of these items.
GEN.INTERIOR	5968	INTERIOR PACKAGE, WALNUT
		Natural walnut cabinetry and trim will be used in lieu of standard oak.
GEN.INTERIOR	5977	INTERIOR PACKAGE, MAHOGANY
		Mahogany cabinetry and trim are used in lieu of standard oak.


<u>AREA</u>	OPTION NO.	DESCRIPTION
GEN.INTERIOR	5990	CHROME OPTION
		This option replaces the standard brass or gold color accessories with chrome.
GEN.INTERIOR	6044	SOAP DISPENSER IN KIT. OR BATH
		A pump type soap dispenser is installed at the kitchen or bath sink to match interior.
GEN.INTERIOR	6045	INTERIOR PACKAGE, NAT. CHERRY
		Cherry cabinetry replaces the standard oak.
GEN.INTERIOR	6065	INTERIOR PACKAGE, LAMINATE SPECIAL
OLM		This option is for special laminates and will be quoted on an individual basis.
GEN.INTERIOR	6072	INTERIOR PACKAGE,PICK.ASH
		Pickled ash cabinetry replaces the standard oak.
GEN.INTERIOR	6081	SKYLIGHT, BUBBLE, 20" X 20"
		This option installs a 20" x 20" skylight bubble with night shade for privacy. Location depends on individual floor plan and body structure.
GEN.INTERIOR	6082	SKYLIGHT, BUBBLE, 14" X 14"
		This option installs a 14" x 14" skylight bubble with night shade for privacy. Location depends on individual floor plan and body structure.

AREA	OPTION NO.	DESCRIPTION
HEAT/AC	6095	A/C UNITS, ROOF W/HEAT PUMP
		This options installs A/C units with heat pumps in lieu of standard.
KIT/DINETTE	5773	GARBAGE DISPOSAL
		This option includes garbage disposal located under kitchen sink bowl. Requires 12V supplied from shoreline or generator and is controlled by a switch located in the kitchen base cabinet.
KIT/DINETTE	5916	DINETTE PACKAGE, L SHAPE
		Three place dinette with motorized retractable table for increased kitchen work space. Option includes Vista lights inside the ceiling fixture. Vista lights are wired to a separate switch.
KIT/DINETTE	6043	HOUSE TYPE SIDE BY SIDE REFRIGERATOR
		The house type side by side replaces the standard Dometic 7030. This option also requires options 6066 and 5967.
KIT/DINETTE	6083	BOOTH DINETTE IN LIEU OF TABLE & CHAIRS
		A face to face booth dinette covered in fabric will be installed in lieu of table and chairs when floor plan permits.
KIT/DINETTE	6084	ACRYLIC DIVIDER WALL-KITCHEN
		A clear acrylic divider is installed at the front of the kitchen counter top. Note: This does not include any special etching designs.


<u>AREA</u>	OPTION NO.	DESCRIPTION
KIT/DINETTE	6092	GLASS CABINET, ROUND FRONT
		A round glass cabinet installs in kitchen or dinette overhead cabinet. Includes acrylic shelves for rock and stem glasses. Inside is mirrored with accent Vista lights. Doors are Plexiglas. Glasses and stemware are included.
KIT/DINETTE	6093	GLASS CABINET, ANGLED FRONT
		An angled glass cabinet installs in the kitchen or dinette overhead cabinet. This includes acrilic shelves for rock and stem glasses. Inside is mirrored with accent Vista lighting. Doors are Plexiglas. Glasses and stemware are included.
KIT/DINETTE	6097	MIRROR, DINETTE WALL, CLEAR MIRRORS
		This option installs clear mirror on dinette wall.
KIT/DINETTE	6098	MIRROR, KITCHEN BACKSPLASH, BEVELED STRIPS
		This option installs beveled edge mirror strips on kitchen backsplash and galley walls in lieu of standard clear mirror.
KIT/DINETTE	6099	MIRROR, DINETTE WALL, BEVELED STRIPS
		This option installs beveled edge mirror strips on dinette wall in lieu of standard wallpaper.
KITCHEN	6040	GROHE EUROPEAN FAUCET IN KITCHEN
		Grohe European kitchen faucet replaces the standard single lever chrome faucet.

AREA	OPTION NO.	DESCRIPTION
KITCHEN	6041	COLOR MATCHED KONSTANT HOT
		Standard chrome constant hot is replaced with a color coordinated constant hot.
LIVINGROOM	5913	DELETE LIVINGROOM OVERHEAD CABINETS
		Living room overhead cabinets are deleted and replaced with valances with indirect lighting. Valances are covered in fabric to match interior.
PLT/COPLT	5951	SEAT, COPILOT, 31" BUDDY W/POWER FOOTREST
		This optional seat is a wider Villa seat with power footrest and lumbar support. It has the same six way electric seat adjustment as the standard copilot seat and is color coordinated to match pilot seat. Driver's seat will also be Villa w/lumbar support.
PLT/COPLT	6033	ALTIMETER IN PANEL OVER COPILOT
		An altimeter is installed in the right hand overhead control panel above copilot.
PLT/COPLT	6078	ENGINE PRO DRIVER
		A monitor for the Detroit diesel Series 60 engine is installed in the dash area.
PLT/COPLT	16102	SOLID SURFACE ENTRANCE STEPS
		Steps are covered in a customer selected solid surface material with custom step tread or stone inserts. Price is dependant upon materials selected.


AREA	OPTION NO.	DESCRIPTION
PLT/COPLT	16104	CELLULAR PHONE, CUSTOMER SUPPLIED
		Customer supplied cellular phone will be installed in front dash area.
PLT/COPLT	16132	OVERHEAD DASH BLACKOUT
		A blackout treatment of the front overhead dash replaces the standard.
STATE DECAL	5870	STATE CERTIFICATION, CALIFORNIA
STATE DECAL	5888	STATE SUPPLIED OPERATING DECAL, TENNESSEE
STATE DECAL	5897	STATE SUPPLIED OPERATING DECAL, WASHINGTON



1999 41' Wanderlodge LXi Floorplan "A"





1999 41' Wanderlodge LXi Floorplan "B"




1999 41' Wanderlodge LXi Floorplan "C"

shown with dual slide-outs in living area & bedroom







1999 43' Wanderlodge LXi Floorplan "A"




1999 43' Wanderlodge LXi Floorplan "B"



1999 43' Wanderlodge LXi Floorplan "C"




1999 43' Wanderlodge LXi Floorplan "D"









Dreamsweep










Sawgrass










Forthcoming









Freewill









Powerbolt











Silhouette






























Eternity









Dreamer










WANDERLODGE LX
Electricity










Picante










Anastasia







Boomerang



GENERAL 1999, 40' Wanderlodge LX

Owner Delivery Process

The owners' delivery process is a service offered to owners taking delivery at the factory. It's purpose is to train the owner in the use of a Wanderlodge motor home by a factory trained professional.

General Statement About Interior

Interiors will be oak wood which will consist of the following items. Walls will be wood or wallpaper. Cabinets will be wood (with the exception of the living room overhead cabinets which will be wrapped in vinyl).

Fixtures

Switches/receptacles will be covered in wallpaper where applicable and matched as close as possible in other areas. Light fixtures and bath accessories will be gold colored or brass.

Carpet

Carpet is standard for all areas of the coach except the bathroom and kitchen. In addition loose carpet mats are included to be used on the steps.

Fire Extinguisher

Two dry chemical type extinguishers with a gauge are provided. One is located in the co-pilot area of the coach near the entrance door and another is located in an exterior compartment.

Headliner

The headliner consists of individually wrapped panels attached to the ceiling substrate with panel clips. Each panel is wrapped with vinyl on one-fourth inch thick polyethylene foam. These panels are removable for replacement or repairs. These panels will be in the ceiling of the living area only. Ceilings of closets (with the exception of the rear walk-in closet), cabinets, etc. will have cargo type carpet glued in place. Two individual accent strips will be installed in livingroom and kitchen area.

LPG Leak Detector System

The gas leakage detector sounds an alarm and closes down the main LPG supply in the event of an LPG leak. This unit does meet California requirements.

GENERAL 1999, 40 Ft. Wanderlodge LX

Smoke Detector

A smoke detector is installed in the ceiling of the main living area.

Carbon Monoxide Detector

A carbon monoxide detector is installed in the living area.

Windows

(4) living room, (1) dinette, (2) bedroom, and (1) kitchen Horizontal single sliding, aluminum sash windows with Spring loaded latches, 6% light transmission tinted, laminated glass.

BATHROOM

1999, 40 FT. Wanderlodge LX

Ceramic Tile, Bathroom Floor

12 inch x 12 inch ceramic tile is installed on the floor on a diagonal. Tiles from the Laufen Charleston series or Florida Tile's Natura Serene series will be standard. Other tiles selected will be billed for the difference.

Fantastic Fan With Rain Sensor

A remote switch and removable cover are provided. The vent will automatically close when moisture is detected

Lighting

Opera light or lights are provided (depending on floor plans) over vanity. These lights are 120 VAC. 12 volt ceiling lighting is also provided.

Medicine Cabinet

The configuration of the cabinet is determined by the individual floor plan. Doors will have safety-backed mirrors. Interior will have adjustable shelves with anti-tip lips. A minimum of one 12 volt bullet light and one 120 VAC, GFI receptacle is provided.

The shower stall will have a fiberglass pan with nonskid bottom and color coordinated cultured marble walls with a built in soap dish.

Each will contain a stationary shower head with a personal shower wand on an adjustable slide bar.

A 12-volt DC ceiling light fixture is mounted in the ceiling.

Toilet, Sealand

The china bowl Sealand toilet is standard. Two (2) rolls of dissolvable tissue are provided along with toilet chemical.

Vanity Top and Bowl

The vanity top and bowl are a molded one piece cultured marble material. A gold colored single lever faucet is standard.

Mirror, Full Length

Each bath arrangement will contain at least one full length mirror. Wardrobe doors will be mirrored.

Shower Stall or Tub/Shower

BATHROOM

1999, 40 FT. Wanderlodge LX

Accessories

Included in each unit are the following accessories:

- (1) Toilet tissue holder
- (2) Single towel bars
- (1) double towel bars
- (1) robe hook
- (2) Towel rings

BEDROOM

1999, 40 Ft. Wanderlodge LX

Bed Arrangement, Center Island, Standard

A 60" x 78" foam mattress tapered with 10" radius corners is standard. A quilted bedspread with a fitted skirt and a reverse flap (French flap) and day/night pleated shades are standard (standard selection). Two bed pillows are included. A fabric covered headboard to match the interior and a full width mirror behind the headboard is also standard.

<u>Audio Visual</u>

A 20-inch remote control color cable ready television and an AM/FM cassette radio is standard in the bedroom.

Lighting

Flourescent lighting is installed in the bedroom ceiling and 12 volt spotters with individual switches are mounted in the bottom of the cabinet directly over the head of the bed. Two ceiling spotters on each side mounted in the ceiling at the valances.

Closet, Full Length Hanging

At least one full length hanging closet is standard in each floor plan. A 12 VDC light fixture in the ceiling of the closet is standard. Closet lighting is automatic when doors are opened. Swinging doors provide access.

Night Tables

The night tables are a stained oak with solid surfacing material for tops with a brass insert.

Storage, Under Bed

The 40 ft. Wanderlodge LX provides storage underneath the bed. This storage is accessed with the assistance of gas cylinders. This area is carpeted with the floor carpet selected for the remainder of the bedroom.

Overhead Cabinet

A full length overhead cabinet is installed over the head of the bed.

Window Boxes and Valances

Windows will have fabric covered window surrounds. Day/night shades are installed at these windows. Vista lights will be installed in the upper decorative portion. A light valance with 12 volt indirect lighting is installed above the window boxes.

CHASSIS

1999, 40' Ft. Wanderlodge LX

Air Brake System

This motor home is equipped with dual service air brake systems for front, rear, and tag axle brakes, with integral fail-safe operation; and manual/automatic rear spring (parking) brakes. The service brakes are completely independent systems, each including a reservoir and separate distribution lines and valves. The reservoirs are brought into operation each time the brake systems are brought into operation each time the brake treadle is depressed too slow or stop the coach. Reservoir pressure for each service brake system is monitored by a respective pressure gauge on the front panel; system failure(s) are indicated by low pressure readings, illumination of the low air lamp and sounding of a buzzer.

To compensate for normal lining wear, each brake system is individually self-adjusting.

If a failure occurs in the rear, the front service brakes and rear spring brakes provide braking action.

In the unlikely event a failure where both service braking systems are disabled, the rear spring brakes will apply automatically and bring the vehicle to a stop.

In addition to the above, a four-channel anti-lock brake system for the steer and drive axles and standalone single-channel anti-lock brake systems for the tag axle are installed. In the event one of the wheels begins to lock up under severe braking conditions, the anti-lock system will detect this situation and gradually remove air pressure from the brake chamber until the wheel begins to turn. This will help assure

smooth braking action and minimize a wheel lockup.

Air Dryer, Compressed Air System

The air dryer unit collects and removes moisture and contaminants from the compressor air output before the air reaches the reservoirs. This unit is different from a reservoir drain or an after cooler in that it provides condensation in the system reservoirs. Note that each reservoir also has a long maintenance free life for air brake system components due to the removal of system contaminants.

Air Schrader Valve

An air connection is provided in the engine compartment to allow the air system to be pressurized from a "shop" source without the necessity of starting the engine.

Air Suspension

This motor home is equipped with air suspension bags which cushion the front, rear, and tag axles. Dumping these air bags when the vehicle is parked allow the rubber bumpers to come together and eliminate vehicle springiness. Switches in the driver's area control dumping and filling of the respective air bags.

A light in the driver's area illuminates to warn the driver that the system is dumped and not to drive the vehicle until the

CHASSIS

1999, 40' Ft. Wanderlodge LX

suspension is inflated.

<u>Cruise Control, Integral w/Cummins - CELECT Plus</u>

A drivers controlled speed control which is integral with the Cummins diesel engine control. Controls are located on the lower dash panel.

Diesel Fuel 50 Gallons for Delivery

50 gallons of diesel fuel is installed in Fort Valley prior to delivery of a unit.

Emergency Warning Triangle Kit

This kit includes (3) fold out, reflective, red triangles in a plastic case with instructions for use.

Engine, Cummins 450 hp M11

Cummins 450 hp M11 engine. See Chassis specs in front of book for detail information.

Fire Alarm, Automatic, Engine Compartment

This feature alerts the pilot of excessive temperatures in the engine compartment via sensors in the engine compartment and a visual and audible warning in the pilot's area.

Engine Starting Remote

A separate switch is located in the engine compartment to allow the engine to be stated from the rear in a service situation.

Fuel Filter, and Water Separator, Racor

A Racor fuel filter, a water separator/preheater is incorporated in the diesel fuel supply line and processes the fuel supply for maximum purity. The fuel filter also includes a built-in pre heater which operates thermostatically from the 12 volt battery supply when the ignition is on. A water sensor lights the dash indicator when the water level in the filter bowl is high enough to require drainage.

The Racor gauge shows the condition of the Racor filter in terms of fuel line vacuum. High vacuum reading indicates when the filter element requires changing. This gauge is located in the pilot overhead dash.

Fuel Tank, 175 Gallons

The diesel fuel tank is located cross ways just behind the front axle. A fuel gauge is located on the upper dash. Dual

CHASSIS 1999, 40Ft. Wanderlodge LX

fuel fills, one on each side of the body.

Heater, Engine Block

A 120-volt element that heats the water in the engine block. On/off operation is controlled by a switch located in the load center.

Hitch, Trailer, Receiver Type

10,000 pounds of towing capacity and 1,000 pounds tongue weight capacity receiver type hitch.

Hitch, Trailer Draw Bar

Removable receiver type draw bar with a 2" diameter chrome hitch ball. The 2" ball provided is rated at 5,000 pounds.

Trailer Plug

The female receptacle is installed in the rear of the coach and wired into the electrical system. The male portion is supplied loose in the coach for installation by the owner on the tow vehicle. The wiring is a five-wire system with separate signals for turn signals and brakes.

Hooks, Tow

Two tow hooks are located at the front of the coach.

Mud Flaps

Individual rubber mud flaps are installed at the rear of the front and rear tires.

Retarder

An engine retarding system is utilized and will provide two levels of engine braking capacity. (Jacob's Brake)

Tires

12R-22.5 PXZA Michlein tires. Polished aluminum wheels, 2 inner rear steel wheels, and stainless steels hubs and lug nut covers are standard.

Wheel Saver

A plastic wheel saver is located in an outside compartment. This disc is to be used when removing or torquing lug nuts on wheels.

ELECTRICAL

1999, 40 Ft. Wanderlodge LX

Switch, 12V Coach Master

A 12 volt coach master switch is located on a switch panel next to the entrance door. This switch allows power to be shut off to all 12 volt circuits except as noted to conserve batteries.

Switch, 12V Coach Battery Master

A 12 volt coach master switch is located in the engine compartment area. This switch allows power to be shut off for long term storage of coach.

Alternator, 200 Amp

This unit is equipped with a 12-volt negative ground 200 AMP alternator.

Antenna, TV, Power

The TV antenna is roof mounted and remotely rotated by a control located in the passenger side of the overhead dash.

Batteries, Chassis, 12 Volt Maintenance Free

Two 12 volt 1075 CCA maintenance free batteries wired parallel produce power for starting the coach engine.

Battery Charger, (1) 140 AMP

One 140-AMP battery charger (integral with the Trace 3000 inverter) operate when a source of 120 volts of AC is supplied either from shoreline or generator. The charger is connected to the coach batteries. The engine batteries may also be charged by enabling the auxiliary battery switch on the lower dash.

Battery, Generator

A separate battery is installed for starting the generator.

Batteries, House

The house battery system consists of (4) 4D gel cell batteries

Split Battery Power System

Three separate systems above are provided. The coach battery system supplies 12 volt power for all interior items and exterior lighting. The chassis battery system provides power for the engine cranking and ignition. The two systems are tied together only by the auxiliary battery switch on the lower dash and when the alternator is charging. The generator battery provides power for the generator cranking and is charged by an alternator on the generator. A generator auxiliary battery switch is provided to permit cranking the

ELECTRICAL

1999, 40 Ft. Wanderlodge LX

generator in the event that the generator battery becomes discharged. This power is provided by the house battery system.

Inverter, (1) 3000 Watt with Integral Battery Charger

One 3000-watt Trace inverter with an integral charger is located in the right rear compartment. The inverter will power all accessible outlets in the coach as well as the ice maker, televisions, microwave oven, opera light, and refrigerator as long as the power demand is below 3000 watts. There is one remote control panel for control and status of the inverter located adjacent to the pilot seat.

Burglar Alarm System

An intruder alarm system protects entry doors. Microphone sound sensors detect glass breakage (located in various areas of coach). Panic switch located in a bedroom panel enable a siren at anytime. System is enabled with a small key chain wireless transmitter.

Cable Connection & Cable for Cable TV

The coach includes a connection for cable TV hookup and a 25' coax cable.

Chime, Door

An electronic door chime is located next to the copilot seat.

Load Center

The load center is 50 amp capacity @ 240 VAC. The load center is located in the rear davenport area.

Outlets, Land Line Phone

Two outlets are provided and are wired to the female plug in the left rear compartment. Outlets are on the wall next to living room table and near a bedroom night stand.

Power Cords

Approved power cords are supplied with the coach for hookup to external power sources. Each cord has a ground pin which provides proper electrical system grounding. A storage shelf for power cords is provided in an outside compartment.

Qty.	Female/Male	Volts	Length
1	50 amp/30 amp	120	1.5 ft.
1	30 amp/20 amp	Adaptor	NA
1	50 amp	250°	25 ft.
1	30 amp/30 amp ext.	120	25 ft.

ELECTRICAL

1999, 40 Ft. Wanderlodge LX

Spotlight

A remote control high intensity spot light with dual high output sealed beam lamp producing 200,000 candle power is installed on the roof and can be positioned horizontally or vertically. Controls are located in the pilot lower dash panel.

Wiring, Cellular With Antenna

An antenna and wiring is supplied for the customer to hookup a cellular phone. The antenna is roof mounted. Wiring terminates in the driver's area.

Safeline Alarm

An audible and visual alarm in the driver's area that is activated when the ignition key is turned on if the coach is connected to shoreline power.

Polarity Indication Panel

An actual power line monitor located in the left hand rear compartment that monitors the AC voltage of both legs of the AC shoreline supply. The panel indicates reverse polarity or missing ground connections.

Generator, 12.5 kW, Diesel Powered

The generator is driven by a 3 cylinder water cooled diesel engine and is located in an enclosed quiet box between the chassis frame rails at the front of the coach. The engine/generator set is mounted on a motorized roll out carriage using vibration isolators with a telescoping exhaust system.

The carriage is powered in and out of the compartment for service by a 12 volt electro-mechanical linear actuator. Starting/stopping of the generator may be controlled from one outside or two inside locations.

- 1) From the dash
- 2) From the kitchen galley panel

The generator has an alternator and 12 volt battery for cranking the generator. There is also an auxiliary generator battery switch on the dash that will permit starting the generator in the event that the generator battery becomes discharged. This cranking power is obtained from the house battery system.

EXTERIOR

1999, 40 Ft. Wanderlodge LX

Air Outlet Auxiliary

An auxiliary air outlet from the chassis accessory air tank is located in an exterior storage compartment. An air hose and gauge is included.

Awnings, Patio, Curb Side

A patio awning is included as standard. The awning will be color coordinated to the exterior.

Base Color, Indian Silver

Indian silver is the standard base color. Any other base may be used if specified three weeks before line load at Wanderlodge.

Bumpers

Bumpers are formed integral with the front and rear body sections and are supported with metal. They are painted to match the paint design.

Handle, Assistance Entrance Door

The entry door assist handle is located on the exterior of the coach to the left of the door. The assist handle is a clear acrylic

handle which is lighted when the porch light is on. Assist handles are also located on the interior of the coach on each side of the step well.

Horns, Air

Dual horns with covers are roof mounted, one on each side of the coach. Horns are activated by a foot switch in the driver's floor board.

Lights, Landing, Left and Right Side

The 12 volt DC recess mounted lights are located at the front and rear of the coach on both sides. Switches are located on the lower dash.

Light, Porch

One amber, double bulb fluorescent light is located on the door side of the coach. The light is operated by a switch on the entrance door control panel.

Lights, Driving

Clear driving lamps are mounted stationary in the front bumper. The driving lights illuminate on high beam provided the corresponding dash switch is active.

EXTERIOR 1999, 40 Ft. Wanderlodge LX

Lights, Parking, Rear

These lights operate when the vehicle is in reverse gear.

Luggage Compartments

The luggage compartments are lined with carpeting on the floors and vertical walls. Luggage compartments include lights which are activated by the individual door switches. The doors are parallelogram type and are gas spring operated.

Step, Entrance Door, Electric Operated

The electric operated entrance door step extends when the door is open and retracts when the door is closed. A rubber covering is over the entrance steps. A switch is provided on the copilot's panel which allows the step to remain in the extended position.

Water Faucet, Exterior

An exterior water faucet is located in a road side holding tank compartment.

Water Hook Up, Commercial

The water supply system is dual purpose and has a commercial water inlet connection that is located in the road side holding

tank compartment. Commercial water hook up can be used to supply all coach water system requirements in the campsite. Coach includes a quick disconnect for hooking up to commercial water.

Water Hose

A 25 ft. Water hose is placed loose in an outside compartment.

Water Filter

The replaceable carbon activated filter that cleans all water entering the coach is located in line after the commercial water hook up.

Outside Water Compartment

An outside water compartment is provided on the road side of the coach.

Windshield Wipers

Dual 2 speed electric intermittent wipers with non glare arms and blades are provided. Wiper arms are parallelogram. Wipers have a delay position with the delay control on the

EXTERIOR 1999, 40 Ft. Wanderlodge LX

lower dash. A washer fluid reservoir fluid reservoir fill is located in the road side front compartment.

Air Operated Lock for Entrance Door

An air operated lock is installed at the top of the entrance door for a tight seal. This lock engages automatically when the unit is put in drive and disengages when taken out of drive. An override switch is located on the driver's arm rest.

Electrical Access Panel

The electric access panel is located behind a door below the driver's side window.

Heating & Air Conditioning

1999, 40 Ft. Wanderlodge LX

Air and Heat System, Automotive

The dash heat and air system are an HVAC system designed to meet the latest freon requirements. This unit provides the ability to mix heat and air to provide defrosting capability.

Air Conditioner, Condensate Drains

Separate drain lines are provided for each air conditioning unit to route condensation from the roof to the ground through the body side walls.

<u>Ducted Roof Air Conditioner, W/Remote</u> <u>Thermostat and Heat Strips</u>

Air conditioners and a wall mounted master thermostat is located in the dinette area to control all three units. Remote temperature senders are located in the pilot area, kitchen/dinette area, and bedroom. The air conditioners are operable from 120 VAC source (generator or shoreline power). Each AC includes heat strips.

Freeze Protection

Additional insulation is installed in the outside water compartment along with heat from the Aqua Hot hot water heat system. via a 5000 BTU power convector on both sides of the holding tank compartment.

Heat, Electric

An electric forced air heater is located in the bath, controlled by remote thermostat.

Heat, Hydronic (Aqua Hot)

The diesel fired hydronic heating system consist of the following:

- 1) Diesel fired boiler rated at 50,000 BTU with three zones (front, bath, & bedroom).
- 2) Integral heat exchanger to provide hot water along with a heat exchanger that ties into the engine coolant to provide hot water, or engine preheat capability.
- 3) Bay heat provides heat for the holding tank compartment with a low-temperature thermostat located in the bay area.
- 4) The front zone is controlled by the heat side of the A/C thermostat and consist of a total of 30,000 BTU of power convectors.
- 5) The bath zone consist of 10,000 BTU and is controlled by an individual thermostat located in that area.
- 6) The bedroom zone contains 10,000 BTU and is controlled on the heat side of the A/C thermostat.
- 7) The boiler also has a 1650 watt electrical heating element to provide heat during low demand period.

KITCHEN/DINETTE

1999, 40 Ft. Wanderlodge LX

Cook Top, LPG

The two burner cook top is fueled by the coach LPG system. Unit includes an electronic ignition. A cook top cover is made of solid surfacing material (lift off lids).

Counter Top

The counter top is made of a solid color solid surfacing material with brass accent trim.

Cutlery Tray

A plastic tray is installed loose in a drawer in the kitchen base cabinet.

Dinette, Table & Chairs

The dinette is a table made of solid surfacing material mounted on a cantilever leg. Two free standing chairs are covered in a material to match the interior.

Dishtowel Rods

A dish towel rack is installed inside the kitchen base cabinet area.

Floor, 12" x 12" Tile

A standard selection of 12" x 12" ceramic tile is installed in this area laid on a diagonal. Standard selections would be Laufen's Charleston series or Florida Tile's Natura Serene series.

Galley Panel

The systems monitoring and control panel, is located in the kitchen base cabinet. This panel provides a convenient means of displaying potable water level, holding tanks, and LPG supply, as well as other functions listed below:

- 1) Water pump switch w/indicator light to indicate when power is being supplied to pump.
- 2) Generator switch controls the stop/start operation of the generator.

Lighting

A 12 VDC light bar is mounted at the kitchen and dinette overhead cabinets, a 12 VDC thin-lite is mounted under the kitchen and dinette overheads.

KITCHEN/DINETTE

1999, 40 Ft. Wanderlodge LX

Micro-Convection Oven

A 120 VAC micro-convection oven is mounted above the gas cook top and is powered by either shoreline, generator, or by the inverter. It includes a light under the microwave and a temperature probe and vent.

Mirrors

Clear safety backed mirrors are provided on the wall behind and adjacent to the kitchen counter top.

Pantry

A pantry either pull out or individual drawers is standard.

Refrigerator/Freezer/Ice Maker

A Norcold four door refrigerator with built in ice maker is standard. The refrigerator operates on 120 volts from shoreline, inverter, generator, or on LP gas.

Shades Day/Night

Day/night shades are installed on the windows inside trim. The shades are color coordinated to the interior color.

Sink

A double bowl under mount solid surface material sink is standard. A single lever chrome faucet with spray attachment is included. Sink covers are standard.

Waste Basket

A built-in basket is included under the kitchen base cabinet.

LIVING ROOM

1999, 40 Ft. Wanderlodge LX

Window Boxes and Valances

Companion Chairs

Standard chair or chairs (depending on floor plan) are Villa. Chairs are covered in a fabric and mounted on a swivel base.

Lights

12 VDC fluorescent valance lighting is provided. 12 VDC halogen spotters are mounted in the ceiling.

<u>Sofa</u>

An 82" Villa sleeper sofa is standard. Sofa is covered in fabric. Includes two throw pillows and two arm covers.

Table or Tables

Living room table or tables are oak wood with a solid surface material on the counter top with .5" brass insert in the edge.

Floor, Carpet

The living room floor is covered in a good grade of carpet.

Windows will have fabric covered window surrounds. Day/night shades are installed at these windows. Vista lights will be installed in the upper decorative portion. A light valance with 12 volt indirect lighting is installed above the window boxes.

MECHANICAL

1999, 40 Ft. Wanderlodge LX

Leveling Jacks, Hydraulic, Automatic

Includes four hydraulic operated jacks. Controls for automatically leveling the unit in the campsite are located on the wall next to the driver.

Tanks, Fresh Water, Approx. 100 Gallons

The tank is located in outside water compartment. The tank is non-pressurized type so that system water pressure is developed by a demand pump when not connected to commercial water. Tank is equipped with a two inch drain. The tank also includes level indicators.

Tanks, Holding

Separate holding tanks for gray water and waste water are provided. Each holding tank has a separate drain valve, dumping gray water and waste through a common single discharge connection. The capacities are approximately 75/75.

Fresh Water Manifold Distribution

A central manifold is located in the roadside luggage compartment. All hot and cold water is distributed to components by individual hot and cold lines from this central point. Each hot and cold line has an individual shut off located on the manifold.

Water Pump

A factory calibrated pressure control switch is preset to turn the water pump on when the system pressure falls below 20 psi: and turns it off once pressure reaches 35 psi. Switches enabling the water pump is located on the galley monitor panel and in the bathroom.

Winterizing Hook Up

A 3/4 inch female pipe thread connection is supplied for pumping RV antifreeze directly into the fresh water system. When the valve is closed to isolate the water purifier, you can fill the fresh water system from the water pump to the fixtures.

CB Receiver Transmitter

Forty channel, CB receiver/transmitter is installed in the hood table with all controls in the hand held portion.

Closed Circuit Television System

A black and white camera with a 1 lux or less sensitivity and a 7" black and white monitor which automatically operates when reverse gear is selected.

MECHANICAL

1999, 41 Ft. Wanderlodge LXi

Power Step Well Cover

An air powered step well cover retracts and extends from under the copilot's seat. In/out controls are located next to the copilot's seat.

Light, Entrance

A 12 volt light is provided in the step well to facilitate entering or leaving the coach at dark. The light illuminates when the entrance step is in the extended position. A switch is provided on the entrance door panel which permits the light to be turned off if the step is left in the extended position.

PILOT/COPILOT AREA

1999, 40 Ft. Wanderlodge LX

Seat, Pilot

A Villa drivers seat is mounted on a six way adjustable power and swivel base with electrically operated lumbar support. This seat is covered in Ultraleather.

Seat, Copilot

A Villa copilot seat is mounted on a six way adjustable power and swivel base with electrically operated lumbar support. This seat is covered in Ultraleather.

Shades

Day/night shades are mounted on the drivers and door windows.

Light, Map

A 12 volt bullet or map light are provided for both the pilot and copilot areas.

Steering Wheel W/Tilt & Telescoping Column

Steering wheel is 20" diameter wheel upholstered in leather. Includes two flat black rally type spokes tapering below the center of the steering wheel. The steering wheel tilt control allows multiple positioning of the steering wheel in increments of 7 degrees. Includes telescoping steering column which can be locked at infinite locations within its telescoping range of 2.25 inches.

Stereo System

A tuner Cassette stereo system features direct access tuning, 24 channel preset memory, seek and manual tuning, Dolby B noise reduction, metal tape capability, and loudness switch. Included are four full range coaxial speakers in the front living area.

Television, Front Overhead

A built in 20" stereo color TV. TV has remote control stereo MTS broadcast reception, audio video inputs, and is cable compatible. Due to Federal regulations this TV will not operate while in transit.

VCR, Stereo

A stereo VCR is mounted in the front overhead.

Video Selector Box

The video selector box is mounted in the front overhead cabinet. This switch permits independent switching of two VCRs, TV, TV cable, and TV game to the two standard TVs in the coach.

Windshield Blind

A blind extends across the front windshield. Hooks are provided in the bottom of overhead to secure the blind while in transit.

Visor, Sun

Pro-tec-tor sun visors are used for a variety of adjustments.

Dual Mirror Control

Located in lower dash panel are two remote mirror controls. The controls to the left control the lower flat rear view mirror. The controls to the right control the upper convex (wide angle) rear view mirror. Each control provides full adjustment by the arrows on the switches.

1999, 40' WANDERLODGE LX OPTIONAL FEATURES

31-Jul-98

AREA	OPTION NO.	DESCRIPTION
BATH	9101	COMBO WASHER/DRYER
		Combo washer/dryer is installed in closet area of bath with short hanging above. Shut off valves for hot & cold water are located below combo unit. 120VAC power is supplied by shoreline hookup or generator.
BATH	9109	TOILET, MICROPHOR ELECTRIC
		This option installs a vitreous china bowl toilet, ultra-low water use and 12VDC electric flush in lieu of standard Sealand.
BATH	9132	PLUMB/WIRE FOR WASHER/DRYER
		Plumbing and wiring only are installed for the combo washer/dryer.
BEDROOM	9227	CROSS ISLAND BR W/WALK-IN CLOSET
		This option installs cross island bed in lieu of center island. Overhead cabinet above head of bed and light valance lighting on opposite side. A walk in closet installs in rea davenport area. Includes mirrored pocket door, thin light in ceiling, and drawer cabine on both sides of closet with hanging across rear back. Back wall is cedar lined.
DASH	9100	PREMIUM SOUND
		A 10 disc CD changer is installed in cabinet area above windshield controlled by the radio in dash.
DASH	9103	MUSICAL HORN
		A PMMI musical horn is installed in dash area.
ELECTRICAL	9169	COMPASS, SYNTREK W/THERMOMETER
		A Syntrek electronic compass with indoor/outdoor thermometer is installed in the dasi
		a a see Barrad

Section III Page 1

AREA	OPTION NO.	DESCRIPTION
ELECTRICAL	9191	AUTO START FOR GENERATOR This options adds the auto start for generator.
ELECTRICAL	9193	RADAR DETECTOR This option installs a radar detector in the dash area.
ENTRANCE	6056	BRASS ENT. GRABHANDLES
ENTRANCE	9228	SOLID SURFACE ENTRANCE STEPS
EXTERIOR	9104	WINDOW AWNINGS & CHAIRS This option includes the following: (2) bedroom window awnings, (1) driver/living room/kitchen awning, (1) living room/dinette window awning, (1) bath awning (with private toilet option), (2) add-a-lounges, (4) zip Dee chairs.
EXTERIOR	9111	AIR COMPRESSOR, AUXILIARY, 120VAC
EXTERIOR	9112	WIRE FOR AUX. AIR COMP This option adds plumbing and wiring only for auxiliary air compressor. This does not include the compressor.
EXTERIOR	9146	TOOL BOX ON SLIDE OUT TRAY This option installs a toolbox on a slide out tray in lower storage area.

AREA	OPTION NO.	DESCRIPTION
EXTERIOR	9148	LUGGAGE RACK AND ACCESS LADDERLuggage rack and access ladder installed.
EXTERIOR	16109	DOUBLE CLEARCOAT
EXTERIOR	16134	PAINT DESIGN, ETERNITY See data book for detail design.
EXTERIOR	16135	PAINT DESIGN, DREAMERSee data book for detail drawing.
EXTERIOR	16136	PAINT DESIGN, ELECTRICITYII See data book for detail drawing.
EXTERIOR	16137	PAINT DESIGN, PICANTE
EXTERIOR	16138	PAINT DESIGN, ANTASTASISee data book for detail drawing.
EXTERIOR	16139	PAINT DESIGN, BOOMERRANGSee data book for detail drawing.
HEAT/AC	9226	A/C UNITS, ROOF MOUNT W/HEAT PUMPS This option installs A/C units with heat pumps in lieu of standard.
INTERIOR	0	CABINETS, NATURAL OAK,STD

AREA	OPTION NO.	DESCRIPTION
INTERIOR	9105	CABINETS, OTHER THAN STANDARD, WALNUT Walnut replaces the standard oak cabinetry.
INTERIOR	9106	CABINETS, OTHER THAN STANDARD, LAMINATE
INTERIOR	9120	CABINETS, OTHER THAN STANDARD, PICKLED OAK Pickled oak replaces the standard oak cabinetry.
INTERIOR	9138	CABINETS, GLOSS LAMINATE This option adds gloss laminate cabinets with overlay doors throughout the coach.
INTERIOR	9139	ACCENT PILLOW (1)
INTERIOR	9149	CABINETS, OTHER THAN STAN., CHERRY Cherry replaces the standard oak cabinetry.
INTERIOR	9189	SECURITY SAFE This option installs a security safe in a concealed location in the coach.
INTERIOR	9195	INTERIOR PROTECTION PACKAGE This option installs a clear vinyl runner in the living room and a carpet cover for the dash.
INTERIOR	9199	CABINETS, GLOSS LAM., EUROPEAN This option installs adds gloss laminate cabinets with a full European styling. (flush doors)

OPTION NO.	DESCRIPTION
9201	CABINETS, CHERRY WOOD W/SPICED WAL
9219	TOEKICKS, KITCHEN & BATH, BRASS
	Toe kicks in kitchen and bath are covered in brass laminate in lieu of standard.
16126	INTERIOR, 99-1
	See color boards
16127	INTERIOR, 99-2
	See color boards
16128	INTERIOR, 99-3
70720	See color boards
16120	INTERIOR, 99-4
10129	See color boards
16120	INTERIOR, 99-5
10130	See data book
40404	
76731	INTERIOR, 99-6 See data book.
9102	BOOTH DINETTE IN LIEU OF TABLE & CHAIRS
	9201 9219 16126 16127 16128 16129 16130

AREA	OPTION NO.	DESCRIPTION
KIT/DINETTE	9128	EXTENSION TABLE & 2 FOLDING CHAIRS
	·	A table with a 12" extension leaf replaces the standard table and 2 folding chairs covered in ultraleather to match interior is included in addition to the 2 standard dinette chairs.
KIT/DINETTE	9133	BOOTH DINETTE(CONV)
		A fully upholstered Villa booth dinette which converts to a bed replaces the standard table and chairs.
KIT/DINETTE	9134	KONSTANT HOT
		This option adds a color coordinated constant hot water dispenser is added in the kitchen.
KIT/DINETTE	9136	FAUCET, GROHE EUROPEAN
		A color coordinated Grohe European faucet replaces the standard chrome in the kitchen.
KIT/DINETTE	9170	CHAIRS, DINETTE, ULTRALEATHER
		Dinette chairs a covered in a color coordinated ultraleather in lieu of standard fabric.
KIT/DINETTE	9213	BEVELED MIRRORS ON KITCHEN BACKSPLASH
		This option installs clear 5" wide beveled mirrors on kitchen backsplash/galley walls in lieu of standard clear mirror.
KIT/DINETTE	9214	MICROWAVE, SHARP, ALMOND
		This option installs a Kitchenaide almond microwave in lieu of the standard black sharp.
LIVINGROOM	9110	LOVE SEAT IN LIEU OF CHAIRS IN FABRIC
		The two barrel chairs and small table are replaced by a love seat covered in fabric to match the sofa.

Section III Page 6

AREA	OPTION NO.	DESCRIPTION
LIVINGROOM	9130	RECLINER W/LARGE TABLE This option installs a Villa recliner and larger table in lieu of standard table and two swivel chairs.
LIVINGROOM	9150	CARPET INLAY (A)-9150-01 See drawing
LIVINGROOM	9150	CARPET INLAY (B)-9150-02
LIVINGROOM	9150	CARPET INLAY (C)- 9150-03
LIVINGROOM	9150	CARPET INLAY (D)-9150-04 See data book for drawing.
LIVINGROOM	9150	CARPET INLAY (E)-9150-5 See data book for drawing.
LIVINGROOM	9150	CARPET INLAY (F)-9150-06 See data book for drawing.
LIVINGROOM	9150	CARPET INLAY (G)-9150-07 See data book for drawing.
LIVINGROOM	9150	CARPET INLAY (H)-9150-08 See data book for drawing.

AREA	OPTION NO.	DESCRIPTION
LIVINGROOM	9150	CARPET INLAY (I)-9150-09 See data book for drawing.
LIVINGROOM	9150	CARPET INLAY (J)-9150-10 See data book for drawing.
LIVINGROOM	9150	CARPET INLAY (K)-9150-11 See data book for drawing.
LIVINGROOM	9150	CARPET INLAY (L)-9150-12 See data book for drawing.
LIVINGROOM	9150	CARPET INLAY (M)-9150-13 See data book for drawing.
LIVINGROOM	9150	CARPET INLAY (N)-9150-14
LIVINGROOM	9150	CARPET INLAY (O)-9150-15 See data book for drawing.
LIVINGROOM	9150	CARPET INLAY (P)-9150-16 See data book for drawing.
LIVINGROOM	9150	CARPET INLAY (Q)-9150-17 See data book for drawing.
LIVINGROOM	9150	CARPET INLAY (R)-9150-18

Section III Page 8

AREA	OPTION NO.	DESCRIPTION
LIVINGROOM	9150	CARPET INLAY (S)-9150-19
LIVINGROOM	9160	CHAIRS, COMPANION, COVERED IN FABRIC
LIVINGROOM	9167	LOVE SEAT IN ULTRALEATHER Villa love seat covered in Ultraleather replaces the 2 standard chairs and table.
LIVINGROOM	9168	SOFA COVERED IN ULTRALEATHERSofa to be covered in Ultaleather in lieu of fabric.
LIVINGROOM	9196	CABINETS, OVERHEADS, LR This option installs overhead cabinets in the LR in lieu of valances.
STATE DECAL	5870	STATE CERTIFICATION, CALIF
STATE DECAL	5888	STATE SUPPLIED OPERATING DECAL, TENN
STATE DECAL	5897	STATE SUPPLIED OPERATING DECAL, WASHINGTON