Section VIII

Remote Control and Emergency Brakes


The remote control unit on the Blue Bird chassis is smooth functioning and requires little maintenance if properly serviced. Never force gears and always keep properly lubricated with a medium grade oil. Check the unit monthly for proper oil.

The Emergency brake is a positive action, self-adjusting type with the handle located to the left of the driver. It is easily adjusted from the driver's seat by the Knob at the top of the handle.

Illustrations and parts list are included to aid you in ordering the correct replacement parts for your chassis.

IMPORTANT..... When ordering parts it is always necessary for you to give the engine make and model, the date your bus was purchased, and complete description and location of the part needed, plus the part number and manufacturer.

ALWAYS GIVE PART NUMBER FOR EACH PART AND COMPLETE DESCRIPTION AND MANUFACTURER WHEN ORDERING PARTS.



KEY	NO.	PART NO.	PART NAME	APPLICATION	QTY
1			Pell com shift laws Bard Man 7050 4	411	
1 2		25007-14	Ball, gear shift lever, Ford #BB-7213-A	A11	1
2		25807-A 25809-A	Lever Assy, gear shift	All except Cummins	1
3		23809-A	Lever Assy., gear shift	Cummins	1
3 4			Cap, gear shift lever, Ford #8MTH-72220	A11	Ţ
5		12500	Seat, gear shift lever, Ford #8MTH-7228	A11	1
5		13598	Tower, remote control	A11	1
# O	20		5/16 - 18 elastic stop nut	A11	1
/		10067 4	3/8 x 1 1/2" long shoulder screw	A11	1
8		13867=A	Shaft Assy,, remote control	348 w/3152	1
8	*	25172=A	Shaft Assy., remote control	409 w/5652B	1
8		27072=A	Shaft Assy., remote control	391 w/5652	1
8		21623=A	Shaft Assy., remote control	401 w/269V	1
8		23949=A	Shaft Assy., remote control	478 w/307V	1
8		16290=A	Shaft Assy., remote control	331 w/265V	1
8		23990-A	Shaft Assy., remote control	JN-130 w/3152	1
8		25334=A	Shaft Assy., remote control	C-160 w/5652B	1
8		25334-A	Shaft Assy., remote control	C-180 w/5852	1
9			1/2 x 1 1/4" long shoulder screw	A11	2
10			3/8 - 16 elastic stop nut	A11	2
11		10965	Joint, slip, male	A11	1
12		10966-	Joint, slip, female	A11	1
13		18167 - A	Shaft Assy., remote control finger	A11	1
14			1/2 - 20 NF x 1 1/4" long flat head		
J			socket cap screw	A11	1
15		13131	Finger, remote control	348 w/3152	1
15		13131	Finger, remote control	409 w/5652B	1
15		13131	Finger, remote control	391 w/5652	1
15		10969	Finger, remote control	401 w/269V	1
15		10969	Finger, remote control	478 w/307V	1
15		10969	Finger, remote control	331 w/265V	1
15		13131	Finger, remote control	JN-130 w/3152	1
15		13131	Finger, remote control	C-160 w/5652B	1
15		13131	Finger, remote control	C-180 w/5852	1
16			Plug button, United Carr Fastener Co.		
			#48174	A11	1
17		10972	Plug, expansion	A11	1
18		26613	Bearing, remote control finger shaft	348 w/3152	1
18		26613	Bearing, remote control finger shaft	409 w/5652B	1
18		26613	Bearing, remote control finger shaft	391 w/5652	1
18		11624	Bearing, remote control finger shaft	401 w/269V	1
18		11624	Bearing, remote control finger shaft	478 w/307V	1
18	13	11624	Bearing, remote control finger shaft	331 w/265V	1
18		26613	Bearing, remote control finger shaft	JN-130 w/3152	1
18		26613	Bearing, remote control finger shaft	C-160 w/5652B	1
18		26613	Bearing, remote control finger shaft	C-180 w/5852	1
NI			Finger, first and reverse, Chev. #3726667	348 w/3152	1
NI		- 1	Finger, first and reverse, Chev. #3726667	409 w/5652B	1
NI		-	Finger, first and reverse, Chev. #3726667	391 w/5652	1
NI		2 - 1 - 7 -	Finger, first and reverse, Chev. #3726667	JN-130 w/3152	1
NI		¥	Finger, first and reverse, Chev. #3726667	C-160 w/5652B	1
NI		#	Finger, first and reverse, Chev. #3726667	C-160 w/5852	1

KEY NO.	PART NO.	PART NAME	APPLICATION	QTY.
ΝI	-	Bolt, first and reverse finger - Chev.		
	00-	#3726696 == #s	348 w/3152	1 ~
NI		Bolt, first and reverse finger - Chev.	340 W/3132	-
	-	#3726696	409 w/5652B	1
NI	-	Bolt, first and reverse finger - Chev.	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
	2	#3726696 ≔	391 w/5652	1
NI	₩8	Bolt, first and reverse finger - Chev.		-
		#3726696	JN-130 w/3152	1
NI	₩ (Bolt, first and reverse finger - Chev.		
	122	#3 7266 96	C-160 w/5652B	1
NI	-	Bolt, first and reverse finger - Chev.		
		#3 7 26696	C-180 w/5852	1
NI	*26975=A	Bearing Assy., remote control finger shaft	∞348 w/3152	1
NI	*26975-A	Bearing Assy., remote control finger shaft	209 w/5652B	1
NI	*26975-A	Bearing Assy., remote control finger shaft	391 w/5652	1 7
NI	*18204=A	Bearing Assy, remote control finger shaft	401 w/269V	1
NI	*18204 <i>=</i> A	Bearing Assy., remote control finger shaft	478 w/307V	1
NI	*18204-A	Bearing Assy., remote control finger shaft	331 w/265V	1
NI	*26975=A	Bearing Assy., remote control finger shaft	JN-130 w/3152	1
NI	*269 7 5=A	Bearing Assy., remote control finger shaft	C-160 w/5652B	1
NI	*269 75- A	Bearing Assy., remote control finger shaft	C-180 w/5852	1
19	17184-A	Bearing Assy., remote control	A11	ĩ
				1

^{*}Assembly includes items 13, 14, 15, 16, 17, and 18 plus applicable NI items.